

TABLE OF CONTENTS CABLE

Welding cable	97
Connection cable	98
Cable hook	99




TABLE OF CONTENTS CABLE

16



CABLE

Weldsafe neoprene welding cable HO1N2-D



Weldsafe neoprene welding cable with black neoprene sheath with copper wire, 0.20 mm Ø. As per guideline 22.6S2. Type HO1N2-D.

For quantities from 500 meter up, the price is calculated on request based on the existing valid copper price. Deviating colours and customized imprint are available on request with a minimum quantity of 3000 meter per diameter.

Product nr	Description	Packing	Length	Packing p/m
16.40.17016	16 qmm.	Reel	500m	500
16.40.17017	16 qmm.	Roll	100m	100
16.40.17018	16 qmm.	Roll	50m	50
16.40.17025	25 qmm.	Reel	500m	500
16.40.17026	25 qmm.	Roll	100m	100
16.40.17027	25 qmm.	Roll	50m	50
16.40.17035	35 qmm.	Reel	500m	500
16.40.17036	35 qmm.	Roll	100m	100
16.40.17037	35 qmm.	Roll	50m	50
16.40.17038	35 qmm.	Roll	25m	25
16.40.17050	50 qmm.	Reel	500m	500
16.40.17052	50 qmm.	Roll	50m	50
16.40.17053	50 qmm.	Roll	25m	25
16.40.17070	70 qmm.	Reel	500m	500
16.40.17072	70 qmm.	Roll	50m	50
16.40.17073	70 qmm.	Roll	25m	25
16.40.17095	95 qmm.	Reel	300m	300
16.40.17096	95 qmm.	Roll	50m	50
16.40.17097	95 qmm.	Roll	25m	25
16.40.17120	120 qmm.	Reel	300m	300
16.40.17121	120 qmm.	Roll	25m	25

Tenax ultra flexible welding cable HO1N2-E



Superflex welding cable, blue neoprene sheath, extra-thin (0.12 mm Ø) copper wire. As per guideline 22.6S2. Type HO1N2-E.

Product nr	Description	Packing	Length	Packing p/m
16.41.37850	50 qmm.	Reel	500m	500
16.41.37851	50 qmm.	Roll	50m	50



CABLE

SSTK ultra flexible cable



Ultra flexible cable SSTK, rubber sheath with copper wire 0,07 mm Ø.

Standard length is 3 meter.

Other lengths on request with a max of 12 m.

Product nr	Description	Length	Packing p/m
16.41.47933	35 qmm. Yellow	3m	3
16.41.47953	50 qmm. Red	3m	3
16.41.47973	70 qmm. Blue	3m	3

H07RN-F connection cable



Connection cable H07RN-F. As per guideline 22.4 with polychloroprene sheath.

Prices are based on the HPL and are adjusted to the valid HPL prices when the copper course changes.

Product nr	Description	Packing	Length	Packing
16.50.18002	2 x 1.5 qmm.	Roll	100m	100
16.50.18023	4 x 2.5 qmm.	Roll	100m	100
16.50.18025	4 x 6 qmm.	Roll	50m	50



CABLE

Douflex connection cable



Douflex connection cable with double sheath, orange E.V.C. outer-sheath and white hypalon inner-sheath, copper wire, 0.30 mm Ø.

Other diameters and lengths on request.

Product nr	Description	Packing	Length	Packing
16.41.28026	25 qmm.	Roll	100m	100
16.41.28027	25 qmm.	Roll	50m	50
16.41.28036	35 qmm.	Roll	100m	100
16.41.28037	35 qmm.	Roll	50m	50
16.41.28051	50 qmm.	Roll	100m	100
16.41.28052	50 qmm.	Roll	500m	50
16.41.28072	70 qmm.	Roll	50m	50
16.41.28073	70 qmm.	Roll	25m	25

Cable hook



For a safe working environment it is essential that cables are not creating hazards on the floor. With the cable support hook the cables can be neatly and safely by put together in the air.

Product nr	Description	Packing
16.35.00100	Cable hook deluxe.	1/1



CABLE



16

