

# TABLE OF CONTENTS FACIAL PROTECTION

---

Face shields

203

47





## FACIAL PROTECTION

### Weldsafe face shield with safety helmet



Helmet with face shield to protect the face against particles. For grinding, light welding and working with chemicals. The shields can be lifted and are available in clear polycarbonate, or in green colour with shade 2 and 5.

Shield clear: EN 166

Shield shade 3: EN 166/169/170/171

Shield shade 5: EN 166/169/170/171

Helmet: EN 397: 1995

Product nr	Description	Packing
47.42.65200	Weldsafe blue safety helmet with face shield protection clear.	1
47.42.65203	Weldsafe blue safety helmet with face shield protection green, shade 3.	1
47.42.65205	Weldsafe blue safety helmet with face shield protection green, shade 5.	1
47.42.65250	Weldsafe white safety helmet with face shield protection clear.	1
47.42.65253	Weldsafe white safety helmet with face shield protection green, shade 3.	1
47.42.65255	Weldsafe white safety helmet with face shield protection green, shade 5.	1
47.42.00014	Face shield protection adapter.	1/50

### Weldsafe face shields complete



Complete face shields to protect the face against particles. For grinding, light welding and working with chemicals. The shields can be lifted and are available in clear polycarbonate, or in green colour with shade 2 and 5.

#### VBG10: Face Shield Holder

- Lightweight and unique design
- Fits over most face shield
- Ratchet adjustment browguard
- 7-position harness strap
- 3-position crown angle-adjustment


Shield clear: EN 166

Shield shade 3: EN 166/169/170/171

Shield shade 5: EN 166/169/170/171

Blue holder: EN 175

Product nr	Description	Packing
47.42.65010	Face shields complete with clear lens.	1/10
47.42.65015	Face shields complete with shade 3 lens.	1/10
47.42.65020	Face shields complete with shade 5 lens.	1/10
47.42.00010	Face shield holder blue.	1/10



## FACIAL PROTECTION

### Weldsafe face shield bullet



Complete face shields to protect the face against particles.

#### Face shield Weldsafe "bullet"

- High impact bullet shape polycarbonate visor.
- Fits with most browguard.

EN 166 1BT for blank

EN 166 for shade 3 and 5

EN 169 for shade 3 and 5

EN 170 for shade 3 and 5

EN 171 for shade 3 and 5

Product nr	Description	Packing
47.42.01010	Face shields blank.	10/50
47.42.01013	Face shields shade 3.	10/50
47.42.01015	Face shields shade 5.	10/50

### RSG T-AirVisor headtops




The T-AirLine Series headtops offer lightweight and comfortable protection in many industrial applications. The T-AirLine range is manufactured in accordance with the latest respiratory regulations. It provides protection for eye and face and is ideal in environments where the highest possible levels of protection are required.

#### T-AirVisor compressed air:

EN 14594, class 3A/3B (49.26.14053 & 49.26.14100) in combination with regulator valve and Airline filter.

Product nr	Description	Typenr.	Packing
49.26.14053	RSG T-AirVisor and regulator kit	614100-00	1/1
49.26.14100	RSG T-AirVisor compressed air	614100	1/1
49.26.60215	RSG T-AirVisor, headgear with airduct	660215	1/1



## FACIAL PROTECTION

### Optrel g300 grinding helmet



The new optrel g300 grinding helmet is the perfect addition to your welding helmet to create an even more pleasant and efficient working environment! Hereby optrel completes its respiratory protection products portfolio for demanding welding and grinding work at the highest level.

#### 180° panoramic view

Extended panoramic view of 180° provided by a large, concave, clear protective visor. The protective visor can be quickly and easily changed, if required. Weighs just 520g, a real lightweight.

#### Protection class

When encountering harsh ambient conditions with smoke dust and vapour a highly efficient powered air respiratory system is indispensable in order to keep the welder healthy.

Classification	Optical class 1
Shape stability	Grinding mask up to 220°C / 428°F Front cover lens up to 137°C / 279°F
Helmet colour	black unpainted
Operating temperature	-10°C to + 70°C / 14°F to 158°F
Storage temperature	-20°C to + 80°C / -4°F to 176°F
Weight	530 g / 18,695 oz
Standards	EN 166 / EN 169 / EN 170 / EN 12941:1998 TH3

47

Product nr	Description	Packing
49.49.70000	Optrel g300 PAPR grinding helmet	1/1
49.49.65500	Optrel e3000 blue	1/1
49.49.65500-L	Optrel e3000 blue (longlife)	1/1
49.49.65500-G	Optrel e3000 green	1/1
49.49.65500-GL	Optrel e3000 green (longlife)	1/1
49.49.70005	Optrel Head band g300	1/1
49.49.70010	Optrel Cotton sweat band g300	1/1
49.49.70015	Optrel Face seal g300	1/1
49.49.70020	Optrel Clear front cover lens g300, 10 pcs	1/1
49.49.70025	Optrel Cover lens SL 5 for g300, 10 pcs	1/1

