



PIPELINE tools

WELDSAFE PIPELINE WELDING TOOLS

**PIPE SET CLAMPS
RATCHET CLAMPS
INTERNAL PRE-HEATERS
MILLIMETER CLAMPS**

**PIPE SUPPORTS
PIPE-WELDING TENTS
PRE HEATING RINGS
WELDING NIPPLES**





PIPELINE tools

PIPE SET CLAMPS & RATCHET CLAMPS

We produce Pipe Set Clamps for pipes from 2 inch up to 100 inch. These mechanical and/or hydraulic clamps come in standard and no-tack versions.

Our Ratchet Clamps are also available in standard and in no-tack versions. Standard versions from 6" up to 64". No-tack versions from 8" to 64".



INTERNAL PRE-HEATERS

**We produce internal pre-heaters from 12", 24", 36", 42", 46" and 56".
These heaters are equipped with resp. 6, 8, 10, 12, 16 or 18 burners.**



PIPE SUPPORTS

**We produce a wide range of pipe supports for tubes from 16" up to 48".
These pipe supports are produced in The Netherlands and are CE-compliant.**

**The electric pipe-supports enable the worker to easily position the pipe for welding.
The engine's speed is adjustable.**

**The whole construction has been designed for a weight of 5000 kg per support. Its height is
hydraulically adjustable. The pipe support has a 12 months warranty period and comes with a manual.**



WELDING TENTS WITH OPTIONAL VENTILATION UNIT

Our high quality aluminum tents are produced in The Netherlands. This lightweight and robust time-saver has adjustable legs for normal surfaces and adjustable wheels for easy tent-transport on the pipeline. The model shown below has been produced for 48 inch to 56 inch pipes. The tent structure and tent-cloth weigh 42 kg. Including the optional ventilator will bring the total weight to 64 kg.



PRE-HEATING RINGS

Below you will find pictures of our 48 inch stainless steel pre-heating ring. The control box provides a menu that enables you to set a time in combination with a specific temperature. It can, for instance, be programmed to heat-up the pipe to 150 degrees Celsius within a time frame of 3 minutes.



WELDING NIPPLES

**We produce welding nipples in dimensions up to 48 inch.
We produce V-seams, J-seams and U-butt-joints.
Dimensions can be custom made.**

